

Received: 13 September, 2024, Revised: 25 October, 2024, Accepted: 26 October, 2024, Online: 15 November, 2024

DOI: https://doi.org/10.55708/js0311007

A Bibliometric Analysis Review on Energy Optimisation while Designing Wireless Sensor Networks

Makwena Idah Masopoga , Mbuyu Sumbwanyambe , Zenghui Wang , Nthambeleni Reginald Netshikweta Department of Electrical and Smart Systems Engineering, Unisa, Florida, 1709, South Africa *Corresponding author: Makwena Idah Masopoga, 27 Galloway, 23 Stansted Street Highveld Centurion 0169, 0823049432 & masopmi@unisa.ac.za

ABSTRACT: Energy optimisation algorithms play an essential role in reducing energy usage. Hence, it is mandatory to identify current themes and predict future research study in energy optimisation algorithms (EOAs) in wireless sensor networks (WSNs). Several reviews have been conducted on energy optimisation algorithms (EOAs) in WSNs, although many focused on narrative reviews. This study focuses on the findings of a bibliometric analysis of the literature on the status of EOAs proposed to reduce energy consumption in WSNs. The main objective is to inform future research on the status of EOAs in WSNs. In this study, a systematic literature review and bibliometric analysis are performed to evaluate the depth and extent of the research done in EOAs in WSNs. The literature searched broadly and systematically concerning WSNs from the WOS database (WOS) from 2019 to 2023 articles. The analysis considers bibliometric data from bibliometric coupling, co-citation analysis, co-authorship analysis, and keyword co-occurrence units of analysis retrieved from VOSviewer software. Following the study of the bibliometric data, various themes on WSNs and their applications have emerged. The results of the bibliometric analysis revealed that many schemes are used for these WSNs. This article has projected a detailed bibliometric analysis of PSO and LEACH protocols in WSNs by searching the WOS Database. The study also revealed opportunities to improve research work in WSNs by using different routing protocols.

KEYWORDS: wireless sensor networks, optimisation algorithm, energy efficiency, clustering, routing, bibliometric analysis, literature review

1. Introduction

We have reviewed the previous articles from other authors involved in the same research. A few algorithms were also performed to correct the challenges we still face in WSNs. These algorithms have also contributed to improving the network performance. A few algorithms that have been performed that are very popular are the LEACH (Low Energy Adaptive Clustering Hierarchy) algorithm [1], the PSO (Particle Swarm) algorithm [2], EECA[3](Energy Efficiency Clustering Algorithm), algorithm[4], optimisation optimization algorithm [5] etc. In this paper we only focus on LEACH and PSO as they are the most popular as compared to the rest. LEACH [6]-[13] is an energyefficient routing protocol that ensures that the selected cluster heads are regularly distributed over the network and that there is no possibility that all cluster heads concentrate on a single part of the network. It also balances the energy consumption of the sensor nodes and spreads it evenly in the entire network before the energy is depleted. One of the major drawbacks of LEACH is that if the cluster head dies for any reason, the cluster becomes

useless because the data collected by the cluster nodes never reaches its destination. PSO, [14]-[21], [22]-[25] is an optimisation technique in which the social behavior of natural species is considered for the calculation. It is a population-based swarm intelligence technique that performs an optimisation process to optimize a fitness function. This approach uses a swarm to find each particle and records the fitness value of each particle. Then, the particles are linked with their appropriate speed. The best position of all the local intelligence particles optimizes the global best position to identify the cluster head position and minimize overall energy consumption. This algorithm has more efficiency and throughput than other mathematical and heuristic approaches; however, the between the sensor nodes unknown and reacts with environmental conditions.

Another big disadvantage of this algorithm is that it can converge prematurely and, especially for complex problems, be trapped in a local minimum. Poor battery performance directly impacts the WSNs performance and lifespan. This is the biggest challenge these days that affects the lifetime of WSNs [26]. The time used in WSNs should be long enough to keep them operating for an



extended period. A bibliometric analysis review was used to conduct this research. We implemented the exclusion/inclusion criteria to remain with the most relevant literature for analysis.

To address the research statement, the following objectives will be considered:

- (1) To identify the current publication trends in WSNs.
- (2) To identify the most influential authors, countries, and organizations in WSNs.
- (3) To analyze the current state of collaboration involving WSNs
- (4) To recognize which area of study needs additional study or improvement in WSNs [27].

This article explores a bibliometric review of optimisation techniques, namely the PSO and LEACH Algorithms and their applications in WSNs. This article is written to understand the correlation between different research works carried out so far in using these algorithms. The application of bibliometric analysis [28] reviews is still a new topic for WSNs. This method is not only applied in WSNs but can be applicable in other areas of research such as in references [29] and [30], where the authors classically do a detailed bibliometric analysis, dividing the references into smaller groups related to the given topic, while in this paper, we do a different way of bibliometric analysis. Many of the publications have used the Scopus database. Hence, we selected to focus only on the WOS. The other reason is that the vast majority of cited materials are peer-reviewed articles based on other publications from different databases. These peerreviewed articles have been analyzed and checked by experts more knowledgeable in the subject area. However, our future review proposed to extend our study to conference papers, book chapters, reviews, etc. So many papers have looked at the same algorithms this paper is reviewing. However, none of them has done a systematic literature [31] review coupled with the bibliometric analysis [32]. The significance of this study is summarised as follows. The overall energy consumption in WSNs will be reduced by implementing energy optimisation algorithm in the wireless network at each transmitter. Furthermore, it balances total energy consumption across the network by implementing an intelligent clustering approach to select cluster heads based on a well-defined energy gradient adaptively.

The following shows how the paper is organized: Section 2 focuses on the bibliometric analysis research design, followed by Section 3, which concentrates on the review report; Section 4 is the study's contributions; Section 5 is the study's discussions and recommendations; and Section 5 is the conclusions.

2. Bibliometric Analysis Research Design

The bibliometric analysis process followed is shown in Figure 1 below, showing briefly how the whole process was followed to conduct this research.




Figure 1: Flow diagram of bibliometric analysis adopted from [33]

Step 1: This first step is to define the aims and scope of the bibliometric study, which must occur before selecting bibliometric analysis techniques[34] gathering the data. A bibliometric study's objectives ought to be connected to evaluating the effectiveness and science of a particular field of study. Regarding performance, bibliometric studies frequently aim to analyze the various research components in the subject, such as authors, institutions, nations, and journals. Scientifically speaking, bibliometric investigations are typically intended to highlight the bibliometric structure, which captures the networks among components that contribute to the intellectual structure based on groups of relevant themes in the research field.

Step 2: The second step is to design the bibliometric study, wherein the techniques for bibliometric analysis are chosen to meet the aims and scope of the study in the previous step. One challenge that researchers often encounter at this stage is picking a technique based on the bibliometric data sought or choosing a method and then preparing the bibliometric data according to that selected technique. Bibliometric data is often retrieved in a raw format, as in this case. To conduct a comprehensive review of a research field utilizing an extensive bibliometric collection, a blend of co-citation analysis (past), bibliographic coupling (present), and co-word analysis (future) and future research directions of full texts can be chosen.

Step 3: The third step is to gather the data required for the selected bibliometric analysis techniques in the second step. To provide broad search results to justify bibliometric analysis and narrow to stay within the specific research subject. Researchers must define their search terms in this step. In this regard, researchers have



two options: the first is to consult the literature to identify a relevant combination of search terms, and the second is to brainstorm among themselves or with subject matter experts to curate suitable search terms. Following that, researchers will need to ascertain the bibliometric data that needs to be collected from the returned search results. Researchers should revisit the bibliometric analysis methods they selected for the investigation in this context. Researchers should concentrate on gathering the title, abstract, keywords, and full text of publications in the search results, for instance if they chose co-word analysis in the second step. However, in cases where the required data is unavailable, the first and second steps should be revisited. To reduce the need for the consolidation of different databases, the paper suggests choosing a single suitable database because reducing the number of pointless action items can reduce the possibility of human error. The researchers should then eliminate duplicates and incorrect entries. Researchers should clean the entry in such cases so that only one valid affiliation, "the affiliation of the author at the time of publication, "remains in the final dataset.

Step 4: Conducting the bibliometric analysis is the fourth step. Theoretically, conducting the bibliometric analysis and composing the bibliometric review are two distinct processes. But these action items frequently complement one another. This paper presents the bibliometric analysis, which produces bibliometric summaries, and the writing of the findings as a single step considering this feedback loop. The journal the researcher is writing for, and the field the study is conducting typically influence the writing style. For instance, one journal might prefer that researchers concentrate on the theoretical elements of the study. Still, another journal might prefer that researchers go directly to the summary of study findings. In this regard, this paper recommends researchers check targeted journals to see if they have a history of publishing review papers, and if yes, then to retrieve those papers, and if possible, those that use bibliometrics, so that a similar style of writing can be crafted. Lastly, the paper challenges academics to create perceptive debates that address pertinent trends and comparable arguments.

Step 5: The final step is to report the findings. The final phase involves interpreting the results of the bibliometric analysis. To do this, it is critical to comprehend the meaning associated with the topics of publications in each thematic cluster and the content within each one. To understand the content well, it is also important to examine its contextual meaning in relation to the entities or events that characterize that content. For example, the co-word analysis presents researchers with different clusters of words. Researchers may depend on terms that appear frequently in the cluster to comprehend its content; however, to interpret the context of each cluster,

researchers also need to examine the relationships between the terms.

The following Table 1 shows how the research design was done. We propose the following research questions:

Table 1: Bibliometric analysis techniques to address the research questions.

RQN	Research	Technique	Usefulness
	Question	-	
RQ1	What are the	Bibliometric	To evaluate the
	current	coupling	current evolution of
	publication trends		topics in WSNs. In
	in WSNs?		this study, we will
			evaluate it to identify
			current publications.
RQ2	Who are the most	Co-citation	To provide
	influential	analysis	information on the
	authors, countries,		connections between
	and organizations		publications and the
	who		most influential
	researched WSNs?		publications.
			Counting citations in
			significant research
			databases and internet
			sources keeps track of
			authors' words, the
			significance of articles,
			and the development
			of research ideas.
RQ3	What is the	Co-	To analyze the social
	current state of	authorship	interactions and
	collaboration		relationships among
	involving WSNs?		authors, their
			affiliations, and the
			number of
			publications they have
			collaborated on.
RQ4	Which areas need	Co-word/	To investigate the
	additional study	or co-	existing or future
	or improvement	occurrence	connections between
	in WSNs?	analysis	research topics by
			examining the written
			content of a
			publication.

3. Search Criteria

Using the search query string in the WOS database, 442 research articles were found, and the publication language was English. The keywords used for searching this WOS database were WSN, LEACH, PSO[35], Energy optimisation, routing, bibliometric analysis, and literature review.

The following search criteria produced the results that were finally used in the entire analysis[36].

- (1) Identification in this category, we have identified records by searching through the currently available database, which, in this case, we only concentrated on the WOS.
- (2) Screening during this level, we check if there are any duplicates of papers/journals, so that if there are any, then we remove all the duplicates.
- (3) Eligibility when we check if all the articles match the research topic we are currently working on and



remove anything that is not in the same field. Furthermore, we only looked at the papers for the past five years and excluded anything before.

(4) Inclusion – this is where our refinement process was done, and we now know exactly how many articles we will use for the research.

Bibliometric information presented in this section is articulated using the following details by analyzing the .csv file obtained through WOS DB. The said information is as follows: Bibliometrics is used to understand the quantitative methods of analysis of scientific journals. The bibliometric analysis includes (1) Various parameters such as author information, publication year, journal in which articles are published, year publication, source of the articles, territory or geographic location of the authors, etc. (2) Understanding meaning insights such as the relationship with the authors and co-authors, frequency of publications, cooccurrences of keywords and articles, top researchers in the field of study, number of citations, etc. With all the quantitative information obtained from the bibliometric analysis, it is obvious that researchers will benefit from exploring future publication trends, the scope of journals that are focused on a specific domain of interest, etc. In this section, a detailed bibliometric analysis is conducted based on the" CSV" file obtained from the WOS database to understand the essence of PSO techniques in improving the LEACH[37] protocol of WSNs.

The inclusion and exclusion criteria were used and detailed below:

The criteria for inclusion are

- If the content of the article seems to discuss energy optimisation of WSN, we obtain its full reference
- Journal articles written in English
- Articles were chosen based on those that addressed energy optimisation in WSNs

The criteria for exclusion are

- Any study that is not about WSNs
- Studies before 2019, we believe someone would have adapted the recent methodology.
- Publications other than journal articles were excluded as they were not peer-reviewed by the top experts in the field
- Any articles addressing anything but not WSN were also excluded

The following PRISMA diagram shows our search criteria regarding the method and number of documents used for this literature review. The records found during the search were 442 articles. Only articles were selected in this case as we know that they are peer-reviewed by top researchers who are knowledgeable in the subject area. From this, we went through a screening process where all

the duplicates were removed and ended up with 194 records.




Figure 2: Prisma diagram based on our search criteria.

Adapted from [38]

4. Review Report

A bibliometric analysis was performed, and the following results are based on the work done from 2018-2023 with about 442 articles downloaded from WOS. The topics used during the search string were WSNs, energy efficiency, optimisation algorithms, routing, and clustering. From these articles, a screening process was necessary to remove duplicates, which was done using Mendeley. Then, our records after screening remained at 442. The search was further refined under categories where only the Telecommunications category was selected. After this refinement, the articles published under Telecommunications went down to 194.

To produce all the figures from the Vosviewer database, the following step-by-step illustrations were followed: After the above refinement process,

- The first step was to save the text file from WOS and convert it to CSV.
- From there, we opened the VOSviewer software, went under file, and click on create.
- It will then lead to a screen where you select the data type which in this case we selected the an option to create map based on bibliographic data.
- It will to a screen where you choose the data source which we chose database file.
- From there the next screen will ask you to select the type of file you have saved from the database you are using.



• From here you choose the type of analysis and counting method per your preference

3.1 Volume of publications per year

Table 2 and Figure 3 show the number of publications done annually since 2019 from the WOS database. The results show that the overall number of authors who have done research in the subject matter that we are currently researching is 50, the number of times that their articles have been cited is more than 580 times, and we also see the overall reference count of about 1715 which is evident that researchers are still interested in the topic of energy optimization [39], [40] of WSNs.

Table 2: Summary of results from the WOS for the previous 5 years.

Publication Year	Data	Total
2019	Count of Authors	9
	Sum of Times Cited, All Databases	144
	Sum of Cited Reference Count	247
2020	Count of Authors	17
	Sum of Times Cited, All Databases	302
	Sum of Cited Reference Count	584
2021	Count of Authors	6
	Sum of Times Cited, All Databases	110
	Sum of Cited Reference Count	289
2022	Count of Authors	8
	Sum of Times Cited, All Databases	22
	Sum of Cited Reference Count	272
2023	Count of Authors	10
	Sum of Times Cited, All Databases	5
	Sum of Cited Reference Count	323
Total Count of Authors		50
Total Sum of Times Cited, All Databases		583
Total Sun	n of Cited Reference Count	1715




Figure 3: Results of author publications over the past 5 years.

Table 3 and Figure 4 from the WOS database show the number of authors and how many times they were cited in which issue.

Table 3: Author count and citations for the previous 5 years.

Issue	Count of Authors	Number of Times Cited
1	6	92
2	3	6
3	3	21
5	3	46
6	4	42
7	3	1
10	3	26
12	4	111
13	1	7
16	1	2
17	1	12
18	1	14
21	1	6
22	2	21
24	1	1
	13	164
Grand Total	50	572

3.2 Results from bibliometric coupling

The bibliometric coupling data are displayed in Table 4 below. It displays the most cited sources and the links' overall strength. The highest cited sources and the strongest overall link strength are displayed in Figure 5.

Table 4: The topmost sources with high citations per publication, Citations: TC, Total link strength: TLS

ID	Source	Documents	CT	TLS
1	ad hoc networks	8	196	926
2	annals of telecommunications	1	0	191
3	applied system innovation	1	0	152
4	computer communications	5	67	204
5	computer networks	5	55	464
6	eurasip journal on wireless	6	128	475
	communications and			
	networking			
7	ict express	1	0	21
8	ieee access	26	474	2164
9	ieee communications letters	2	78	180
10	ieee internet of things journal	6	100	457
11	ieee open journal of the	1	0	0
	communications society			
12	ieee systems journal	2	45	359
13	ieee transactions on green	2	62	129
	communications and			
	networking			
14	ieee transactions on vehicular	1	47	137
	technology			
15	iet wireless sensor systems	1	12	17
16	international journal of ad	1	0	20
	hoc and ubiquitous			
	computing			
17	international journal of	21	129	1587
	communication systems			
18	international journal of	5	77	604
	distributed sensor networks			
19	international journal of	1	2	84
	mobile computing and			
	multimedia communications			



20	international journal of	1	0	82
	network management			
21	international journal of	3	13	272
	wireless information			
	networks			
22	internet of things	1	5	90
23	journal of ambient	9	231	518
	intelligence and humanized			
	computing			
24	journal of communications	1	0	98
	software and systems			
25	journal of internet technology	1	0	93
26	ksii transactions on internet	3	22	244
	and information systems			
27	mobile information systems	2	17	226
28	mobile networks &	2	50	141
	applications			
29	peer-to-peer networking and	9	31	624
	applications			
30	personal and ubiquitous	1	29	127
	computing			
31	security and communication	1	14	5
	networks			
32	telecommunication systems	3	88	420
33	transactions on emerging	3	12	78
	telecommunications			
	technologies			
34	wireless communications &	2	224	111
	mobile computing			
35	wireless networks	15	320	1460
36	wireless personal	41	485	2962
	communications			




Figure 5: Sources showing from high to low citations and strong TLS.

3.3 Publication impact of countries and journal articles3.3.1 Publications per country

The maximum number of authors per document selected was 25, with the minimum number of authors per document being 1 and the minimum number of citations of an author being 1. By looking at the results shown in Table 5 below, we can see that the topmost 3 countries are India leading with a total citation of 1722 and a link strength of 37 and followed by the Peoples's Republic of China with a total citation of 792 and a link

strength of 28, the 3rd one being South Korea with a total citation of 348 and total link strength of 4.

Table 5: The topmost countries with high citations per publication, Citations: TC, Total link strength: TLS[41]

ID	Country	Documents	CT	TLS
1	australia	4	125	4
2	canada	2	43	6
hj3	egypt	4	76	9
4	england	6	157	8
5	finland	1	4	4
6	india	121	1722	37
7	iran	6	151	8
8	iraq	3	55	5
9	italy	2	23	4
10	japan	1	14	4
11	jordan	3	74	4
12	malaysia	5	72	12
13	pakistan	5	94	9
14	peoples r china	41	795	28
15	russia	1	14	4
16	saudi arabia	11	225	21
17	south korea	7	348	4
18	taiwan	4	51	8
19	tanzania	1	4	4
20	usa	10	76	13
21	yemen	1	4	4

Figure 6 below shows the topmost countries with high citations and the strongest total link strength. India is the first top country out of this category.




Figure 6: Network visualization of country collaboration in this research

3.3.2 Publications per organizations

The research went further, and we also checked the category of organizations. The results in Table 6 show the topmost organizations published in the study of WSNs with the most to the least total link strength. Figure 7 below illustrates the organizations with at least 3 documents per publication.

Table 6: Top organizations that published with the most to the least link strength, Citations: TC, Total link strength: TLS

ID	Organization	Documents	CT	TLS
1	al balqa appl univ	2	73	8
2	alagappa univ	2	79	9
3	anna univ	10	228	10
4	babol univ med sci	1	38	7
5	bonch bruevich st petersburg	1	14	8
	state univ telecommu			



6	changchun univ sci & technol	1	14	8
7	chongging univ posts &	3	89	9
	telecommun			
8	guangzhou univ	1	38	7
9	harbin inst technol	1	14	8
10	howard univ	2	23	7
11	islamic azad univ	3	84	13
12	kalasalingam acad res & educ	2	79	9
13	king saud univ	1	38	7
14	manchester metropolitan	2	52	8
	univ			
15	menoufia univ	1	14	8
16	natl yunlin univ sci & technol	1	38	7
17	prince sattam bin abdulaziz	3	66	18
	univ			
18	princess nourah bint	4	27	12
	abdulrahman univ			
19	rudn univ	1	14	8
20	sastra deemed univ	2	52	8
21	saudi elect univ	2	17	11
22	srm inst sci & technol	5	95	12
23	tokyo inst technol	1	14	8
24	univ regina	1	38	7
25	univ sistan & baluchestan	1	38	7
26	vellore inst technol	5	173	18




Figure 7: Graphical illustration of organizations with at least 3 documents per publication

3.3.3 Distribution of Publication Journals

The maximum number of authors per document selected was 25, with the minimum number of citations per document being 1 and the minimum number of citations of an author being 1. By looking at the results shown in Figure 8 below, it is evident that the topmost 3 journals are Wireless Personal Communications leading, with a total citation of 485 and a total link strength of 43, followed by IEEE Access, with a total citation of 474 and the total link strength of 42, the last one being Wireless Networks with a total citation of 320 and total link strength of 29.

3.4 Co-citation analysis

The maximum number of authors per document selected was 25, with the minimum number of authors per document being 1 and the minimum number of citations of an author being 1. Of the 598 authors found,

only 501 meet the threshold, and 301 are connected through collaborations with the other authors.




Figure 8: Demonstration of most to the least published journals

Figure 9 below shows they each worked with authors from two clusters in 2020, 2021, and 2022. These authors who worked so hard and collaborated more are K Shankar and Deepak Gupta. Shankar K has collaborated with all the authors in clusters 1 and 2, while Gupta Deepak has collaborated with authors in clusters 2 and 3. Refer to Table 7 and Figure 9 below to view the outcomes.




Figure 9: Network map of co-authorship collaboration based on the number of documents.

Table 7: Co-authorship collaboration based on the number of documents, Citations: TC, Total link strength: TLS.

ID	Author	Documents	Citations	TLS
1	abasikeles-turgut,	1	218	0
	ipek			
2	abbas, sidra	1	218	5
3	abd el-latif, ahmed	1	218	6
	a.			
4	abdelhaq, maha	1	218	5
5	abdennaceur,	1	218	2
	baghdad			
6	abdul-qawy, antar	1	143	5
	shaddad hamed			
7	abdulzahra, ali	1	143	2
	mohammed			
	kadhim			
8	abdulzahra, suha	1	122	2
	abdulhussein			
9	abu bakar,	1	94	3
	kamalrulnizam			
10	acken, john m.	1	85	2
11	adeliyi, timothy	1	85	2
12	adhikari, kabita	1	79	5



13	agrawal, sunil	1	72	2
14	ahn, seyoung	1	70	4
15	akilan, t.	1	68	3
16	al duhayyim,	1	68	7
	mesfer			
17	al-otaibi, shaha	1	68	5
18	al-qurabat, ali	1	67	2
	kadhum m.			
19	al-rasheed, amal	1	67	5
20	al-shdaifat, alaa	1	67	3

3.5 Co-occurrences of keywords

Table 8 below demonstrates unequivocally that WSNs remain the most explored keyword, appearing over 150 times more frequently than the others and having the strongest overall link strength of over 1500. Also, in both Figures 10 and 11, it is evident that "WSNs [42]" is the leading keyword being researched by authors.

3.5.1 Co-occurrences word count

Table 8: Co-occurrences of keywords in a publication, Total link strength: TLS.

ID	Keyword	Occurrences	TLS
1	wsn	26	291
2	WSNs	104	1071
3	wireless sensor network	34	324
4	scheme	26	307
5	routing protocols	25	320
6	routing protocol	36	419
7	routing algorithm	14	165
8	routing	49	500
9	protocols	10	135
10	protocol	47	460
11	particle swarm optimisation	9	102
12	optimisation	40	466
13	network lifetime	30	321
14	mobile sink	9	104
15	lifetime	31	362
16	leach	11	111
17	iot	11	150
18	internet of things	17	219
19	internet	23	288
20	fuzzy logic	12	114
21	energy-efficient	28	253
22	energy efficiency	81	814
23	energy consumption	30	353
24	energy	12	105
25	efficient	12	115
26	data aggregation	12	152
27	clustering-algorithm	11	113
28	clustering algorithms	20	273
29	clustering	69	590
30	cluster head selection	12	115
31	cluster head	10	103
32	aware	10	119
33	algorithm	64	663




Figure 10: Network visualisation map of co-authorship based on all keywords.




Figure 11: Network visualization map of co-authorship based on author keywords.

3.5.2 Keywords co-occurrence statistical analysis

The following statistical analysis was done on the keyword occurrences, and the results for each keyword were combined to get the total occurrences. The top 30 words were selected to complete this exercise. The results for the most keywords with 50 occurrences and above are shown in Table 8 below, while Table 9 and Figure 12 show the keywords with high occurrences:

The highest count being WSN; we found 6 occurrences of this word, the first word having 80, the second one having 32, the third one having 22, the fourth one having 8, followed by the fifth also having 8, and the last one having 6, which makes a total of 156. The lowest count is the Genetic Algorithm (GA)[43][44][45] with 4 occurrences, the first word having 5, followed by the second word with 4, while the third word has 3 and the fourth word having 2, which makes a total of 14.

Table 9: Author's keywords with high occurrences.

ID	Author's keywords	Acronyms	Occurrences
1	WSNs	WSN	156
2	clustering algorithm	CA	102
3	energy efficiency	EE	92
4	routing algorithm	RA	85
5	network lifetime	NL	40



6	cluster head	CH	34
7	energy consumption	EC	33
8	internet of things	IOT	25
9	particle swarm optimisation	PSO	25
10	leach	LEACH	19
11	fuzzy logic F		18
12	genetic algorithm	GA	14
13	quality of service	QOS	9
14	delay	DLY	8
15	mobile sink	MS	7
16	multi-hop routing	MHR	6
17	heterogeneity	HTR	6
18	sensor node	SN	6
19	ant colony algorithm	ACA	6
20	grey wolf optimisation	GWO	6
21	monitoring	MNT	5
22	base stations	BS	5
23	metaheuristics	MTH	5
24	multi-objective optimisation	MOO	5
25	load balancing	LB	4
26	mobile nodes	MN	4
27	batteries	BTT	3
28	spread spectrum communication	SSC	3
29	artificial bee colony	ABC	3
30	optimal path	OP	2




Figure 12: Pie graph of keywords with high occurrences.

3.5.2.1 Summary statistics by groups - count, mean, standard

Summary statistics are used to summarize a set of observations and to communicate the largest amount of information as simply as possible. Our results are shown in groups of 12 below, each group consisting of the keyword, count (N), mean (M), and standard (SD). The largest group from the results below is WSN with (N=7, M= 22.6, SD=27.4), while we find the two lowest groups with interesting results. Groups 3 and 8 are the lowest group in this summary, having (N=3) while the mean and standard values differ. EC has (M=16, SD=19.8) while LEACH has (M=5.5, SD=4.95).

 $Table\ 10: Summary\ statistics\ by\ groups\ \hbox{-}\ count,\ mean,\ standard.$

ID	Keywords	Count	Mean	SD
1	CA	3	30.7	34.3
2	CH	3	8.67	2.31
3	EC	2	16	19.8
4	EE	5	18.4	33.9

5	GA	3	3	1
6	ICR	3	2.67	0.577
7	IOT	3	8.33	7.77
8	LEACH	2	5.5	4.95
9	NL	5	8	12.3
10	PSO	3	8.33	6.81
11	RP	4	21.8	19.3
12	WSN	7	22.6	27.4

3.5.2.2. Box and whisker plots

Box plots are helpful as they provide a visual summary of the data, enabling researchers to quickly identify mean values, the dispersion/variability of the data set, and signs of skewness. Box plots divide the data into sections containing approximately 25% of the data in that set.

The median line of LEACH, EC, and NA box plots is the only one showing normal distribution of data sets, while the rest show skewness of data. The median line of the WSN, EE, NL, IOT [46] [47] [48], and PSO box plots shows that the distribution is positively skewed, while CH is the only one with a negatively skewed distribution. Then, when we compare the interquartile ranges (the box lengths) to examine how the data is dispersed between each sample, the longer the box, the more dispersed the data, and the smaller the box, the less dispersed the data. The longest box in our results is the CA box, which shows that the data is primarily dispersed in this sample, while the smallest box with the less dispersed is the GA[49]. Box and whisker plots also show the variability of data. In statistics, data variability is the extent to which a distribution is stretched or squeezed. We notice outliers when we look at our results in Figure 13 below. Outliers are data points located outside the whiskers of the box plots. In this case, we identified four outliers in our results.




Figure 13: Keywords co-occurrence boxplot.

5. Contributions of the study

This review is worth carrying out as it seeks to make the following contributions:

We identified current publications by evaluating the evolution of energy optimisation topics in WSNs[50]. We achieved this by performing a systematic literature review and a bibliometric analysis review. Previously, researchers used the normal method and did not couple



the two. The results of the bibliometric review of research on energy optimisation algorithms of WSNs show that the topic is still highly interesting and can be explored more. The study also shows that the bibliometric methodology has become extremely popular recently because of the accessibility and utility of bibliometric databases and software, which make it easier to gather and evaluate vast amounts of scientific data for scientific research.

6. Discussions and Recommendations

All The co-citation analysis presents us with information on the connections between publications and the most influential publications. By counting citations in significant research databases and internet sources, we keep track of authors' keywords, the significance of articles, and the development of other research ideas.

We performed a co-authorship analysis to obtain relevant author's information and their affiliations. By analyzing this information, we identified the extent of the social interactions and relationships among authors, their affiliations, and the number of publications they have collaborated on.

Co-authorship analysis showed that India co-authored more WSNs with the People's Republic of China, South Korea, Iran, Australia, Saudi Arabia, and others in WSNs than with other countries. India, the People's Republic of China, and South Korea are the three most publishing countries that collaborate with other countries. India is the top publishing country in WSNs, and its collaboration with other countries is also high. The relationship between India and the People's Republic of China is stronger than that of other countries in terms of collaboration. We conclude that India is one of the most research centers in the world and can make a meaningful impact on WSNs.

The keyword occurrence analysis has revealed many optimisation techniques to address energy efficiency in WSNs. The densification of network devices in wireless networks has resulted in energy consumption challenges. Due to this growing challenge, research will continue to seek and propose new techniques to optimize energy in WSNs. Thus, research on energy optimisation is still a topic of interest to many researchers in WSNs [51]. This is also confirmed by the network visualization results obtained from the "co-occurrences of keywords" section

The review considered peer-reviewed journal articles. We propose considering other sources of information to widen the scope of the analysis. The potential sources of information include conference proceedings, books, and others. WOS is not the only database that can be analyzed using bibliometric software such as VOSviewer. Literature from other databases such as Scopus, IEEE, and

Dimension can be analyzed, and comparisons made to evaluate their validity.

7. Conclusions

The results demonstrate the continued relevance and necessity of this study, as evidenced by the high total link strength and the continuous publication of research on WSNs in comparison to other keywords. It is evident that further investigation into the energy optimisation of WSNs is still required, and significant progress may be achieved in preserving the network's lifespan. In conclusion this paper also showed that bibliometric analysis is a scientific approach that can be helpful for researchers who want to look back on a wide range of rich and expansive topics in business studies, both seasoned and novice scholars.

The purpose of this research was to offer a review on the literature on optimisation algorithms to address energy efficiency on WSNs. The study considers literature obtained from WOS database from 2019 until 2023. We considered WOS database since it is one of the largest databases and most widely used for the analysis of scientific publications, including WSNs, a subfield of wireless networks. VOSviewer. By applying the bibliometric approach based on data from the WOS and using simple visualization tool, we were able to address all stated research questions.

Conflict of Interest

The authors declare no conflict of interest.

Acknowledgment

We acknowledge the University of South Africa and the Department of Electrical Engineering.

References

- [1] I. Daanoune, A. Baghdad, and A. Ballouk, "Improved LEACH protocol for increasing the lifetime of WSNs," *Int. J. Electr. Comput. Eng.*, vol. 11, no. 4, 3106–3113, Aug. 2021, doi: 10.11591/ijece.v11i4.pp3106-3113.
- [2] C. Wang, "A Distributed Particle-Swarm-Optimization-Based Fuzzy Clustering Protocol for Wireless Sensor Networks," Sensors, vol. 23, no. 15, 2023, doi: 10.3390/s23156699.
- [3] Y. Gong, X. Guo, and G. Lai, "A Centralized Energy-Efficient Clustering Protocol for Wireless Sensor Networks," *IEEE Sens. J.*, vol. 23, no. 2, 2023, doi: 10.1109/JSEN.2022.3224180.
- [4] H. Pakdel and R. Fotohi, "A firefly algorithm for power management in wireless sensor networks (WSNs)," *J. Supercomput.*, vol. 77, no. 9, 2021, doi: 10.1007/s11227-021-03639-1.
- [5] M. Z. Abd Latif, K. G. Lim, M. K. Tan, H. S. Ee Chuo, T. Wang, and K. T. Kin Teo, "Energy-Efficient Ant Colony Based LEACH Routing Algorithm in Wireless Sensor Network," in 4th IEEE International Conference on Artificial Intelligence in Engineering and Technology, IICAIET 2022, 2022. doi: 10.1109/IICAIET55139.2022.9936851.
- 6] S. Ramesh et al., "Optimization of Leach Protocol in Wireless Sensor Network Using Machine Learning," Comput. Intell.



- Neurosci., vol. 2022, 2022, doi: 10.1155/2022/5393251.
- [7] S. Bharany et al., "Energy-efficient clustering scheme for flying adhoc networks using an optimized leach protocol," Energies, vol. 14, no. 19, 2021, doi: 10.3390/en14196016.
- [8] J. Mao, M. Gu, and Y. Huo, "Improved Routing Algorithm for Wireless Sensor Networks Based on LEACH," in 2022 International Communication Engineering and Cloud Computing Conference, CECCC 2022, 2022. doi: 10.1109/CECCC56460.2022.10069668.
- [9] M. Gamal, N. E. Mekky, H. H. Soliman, and N. A. Hikal, "Enhancing the Lifetime of Wireless Sensor Networks Using Fuzzy Logic LEACH Technique-Based Particle Swarm Optimization," *IEEE Access*, vol. 10, no. April, pp. 36935–36948, 2022, doi: 10.1109/ACCESS.2022.3163254.
- [10] I. Daanoune, B. Abdennaceur, and A. Ballouk, "A comprehensive survey on LEACH-based clustering routing protocols in Wireless Sensor Networks," Ad Hoc Networks, vol. 114. 2021. doi: 10.1016/j.adhoc.2020.102409.
- [11] L. Zhao, S. Qu, and Y. Yi, "A modified cluster-head selection algorithm in wireless sensor networks based on LEACH," *Eurasip J. Wirel. Commun. Netw.*, vol. 2018, no. 1, 2018, doi: 10.1186/s13638-018-1299-7.
- [12] K. A. Raji, A. W. Asaju-Gbolagade, and K. A. Gbolagade, "EFFECTIVE ROUTING PROTOCOL FOR WIRELESS SENSOR NETWORKS USING CRT-LEACH ALGORITHM," MALAYSIAN J. Comput., vol. 6, no. 2, 2021, doi: 10.24191/mjoc.v6i2.10396.
- [13] L. Zhao, S. Qu, and Y. Yi, "A modified cluster-head selection algorithm in wireless sensor networks based on LEACH," *Eurasip J. Wirel. Commun. Netw.*, vol. 2018, no. 1, Dec. 2018, doi: 10.1186/s13638-018-1299-7.
- [14] C. Vimalarani, R. Subramanian, and S. N. Sivanandam, "An Enhanced PSO-Based Clustering Energy Optimization Algorithm for Wireless Sensor Network," Sci. World J., vol. 2016, 2016, doi: 10.1155/2016/8658760.
- [15] O. Deepa and J. Suguna, "An optimized QoS-based clustering with multipath routing protocol for Wireless Sensor Networks," J. King Saud Univ. - Comput. Inf. Sci., vol. 32, no. 7, 763–774, Sep. 2020, doi: 10.1016/j.jksuci.2017.11.007.
- [16] A. Yadav, S. Kumar, and S. Vijendra, "Network Life Time Analysis of WSNs Using Particle Swarm Optimization," *Procedia Comput. Sci.*, vol. 132, 805–815, 2018, doi: 10.1016/j.procs.2018.05.092.
- [17] G. Srinivasalu and H. Umadevi, "Proposed energy efficient clustering and routing for wireless sensor network," *Int. J. Electr. Comput. Eng.*, vol. 13, no. 4, 4127–4135, 2023, doi: 10.11591/ijece.v13i4.pp4127-4135.
- [18] A. Singh, S. Rathkanthiwar, and S. Kakde, "Energy efficient routing of WSN using particle swarm optimization and V-LEACH protocol," in *International Conference on Communication and Signal Processing, ICCSP 2016*, Institute of Electrical and Electronics Engineers Inc., Nov. 2016, 2078–2082. doi: 10.1109/ICCSP.2016.7754544.
- [19] A. Kaswan, V. Singh, and P. K. Jana, "A multi-objective and PSO based energy efficient path design for mobile sink in wireless sensor networks," *Pervasive Mob. Comput.*, vol. 46, 2018, doi: 10.1016/j.pmcj.2018.02.003.
- [20] T. Shankar, S. Shanmugavel, and A. Karthikeyan, "Hybrid approach for energy optimization in wireless sensor networks using PSO," Int. J. Commun. Antenna Propag., vol. 3, no. 4, 221–226, 2013.
- [21] N. Karasekreter, M. A. Şahman, F. Başçiftçi, and U. Fidan, "PSO-based clustering for the optimization of energy consumption in wireless sensor network," *Emerg. Mater. Res.*, vol. 9, no. 3, 776–783, 2020, doi: 10.1680/jemmr.20.00107.

- [22] R. L. P. Kumar and Vijayalakshmi, "Energy Efficient Routing in Wireless Sensor Network for Moving Nodes Using Genetic Algorithm Compared with PSO," in Communications in Computer and Information Science, 2023. doi: 10.1007/978-3-031-25088-0_54.
- [23] B. V. Divakar, D. Patil, and P. P. Subramanium, "Energy Optimization in Wireless Sensor Network using Clustering and PSO Algorithm," no. June, 5267–5270, 2020.
- [24] P. Rawat and S. Chauhan, "Particle swarm optimization-based energy efficient clustering protocol in wireless sensor network," *Neural Comput. Appl.*, vol. 33, no. 21, 14147–14165, 2021, doi: 10.1007/s00521-021-06059-7.
- [25] M. Z. Ghawy et al., "An Effective Wireless Sensor Network Routing Protocol Based on Particle Swarm Optimization Algorithm," Wirel. Commun. Mob. Comput., vol. 2022, 2022, doi: 10.1155/2022/8455065.
- [26] R. Nithya, R. Alroobaea, A. Binmahfoudh, and Z. I. Rizman, "Distributed Multi-hop Clustering Approach with Low Energy Consumption in WSN," Comput. Syst. Sci. Eng., vol. 45, no. 1, 903– 924, 2023, doi: 10.32604/csse.2023.030749.
- [27] B. R. Al-Kaseem, Z. K. Taha, S. W. Abdulmajeed, and H. S. Al-Raweshidy, "Optimized Energy Efficient Path Planning Strategy in WSN with Multiple Mobile Sinks," *IEEE Access*, vol. 9, 2021, doi: 10.1109/ACCESS.2021.3087086.
- [28] N. Donthu, S. Kumar, D. Mukherjee, N. Pandey, and W. M. Lim, "How to conduct a bibliometric analysis: An overview and guidelines," *J. Bus. Res.*, vol. 133, no. May, 285–296, 2021, doi: 10.1016/j.jbusres.2021.04.070.
- [29] D. Golubović, M. Erić, N. Vukmirović, and V. Orlić, "High-Resolution Sea Surface Target Detection Using Bi-Frequency High-Frequency Surface Wave Radar," *Remote Sens.*, vol. 16, no. 18, 2024, doi: 10.3390/rs16183476.
- [30] D. Golubović, M. Erić, and N. Vukmirović, "High-Resolution Doppler and Azimuth Estimation and Target Detection in HFSWR: Experimental Study," Sensors, vol. 22, no. 9, 2022, doi: 10.3390/s22093558.
- [31] Y. Xiao and M. Watson, "Guidance on Conducting a Systematic Literature Review," *Journal of Planning Education and Research*, vol. 39, no. 1. SAGE Publications Inc., 93–112, Mar. 01, 2019. doi: 10.1177/0739456X17723971.
- [32] V. Carneiro, A. Barata da Rocha, B. Rangel, and J. L. Alves, "Design Management and the SME Product Development Process: A Bibliometric Analysis and Review," *She Ji*, vol. 7, no. 2, 197–222, 2021, doi: 10.1016/j.sheji.2021.03.001.
- [33] W. M. Lim, "Guidelines for interpreting the results of bibliometric analysis: A sensemaking approach," 17–26, 2024, doi: 10.1002/joe.22229.
- [34] C. R. Bilder *et al.*, "How to conduct a bibliometric analysis: An overview and guidelines," *J. Bus. Res.*, vol. 133, no. 3, 285–296, Mar. 2008, doi: 10.1198/jasa.2008.s251.
- [35] A. Sun, S. Li, and Y. Zhang, "WSN clustering routing algorithm based on PSO optimized fuzzy C-means," Tongxin Xuebao/Journal Commun., vol. 42, no. 3, 2021, doi: 10.11959/j.issn.1000-436x.2021053.
- [36] J. R. Frank and L. A. Maggio, "Bibliometrics: Methods for studying academic publishing," 173–176, 2022, doi: 10.1007/s40037-021-00695-4.
- [37] Saravana G, Jegadeeswari J S, NaveenKumar V, and PushpaValli M, "Energy Efficiency in Wireless Sensor Networks using Advanced LEACH Protocol," *Int. J. Eng. Technol. Manag. Sci.*, vol. 6, no. 6, 2022, doi: 10.46647/ijetms.2022.v06i06.011.
- [38] N. C. Khin Khin Oo and S. Rakthin, "Integrative Review of Absorptive Capacity's Role in Fostering Organizational Resilience and Research Agenda," *Sustainability (Switzerland)*, vol. 14, no. 19.

91



MDPI, Oct. 01, 2022. doi: 10.3390/su141912570.

- [39] A. Boudhir, M. Bouhorma, and M. Benahmed, "Energy Optimization Approaches In Wireless Sensor Networks: A Survey," Int. J. Networks Syst., vol. 1, no. 1, 43–51, 2012.
- [40] I. H. Osei and E. O. Osei, "Multipath Energy Optimization Broadcast Routing Protocol for Wireless Sensor Network Using Genetic Algorithm and Ant Colony Optimization," SSRN Electron. J., 2023, doi: 10.2139/ssrn.4358067.
- [41] B. A. Begum and S. V. Nandury, "Data aggregation protocols for WSN and IoT applications – A comprehensive survey," *Journal of King Saud University - Computer and Information Sciences*, vol. 35, no. 2. King Saud bin Abdulaziz University, 651–681, Feb. 01, 2023. doi: 10.1016/j.jksuci.2023.01.008.
- [42] C. Xu, Z. Xiong, G. Zhao, and S. Yu, "An energy-efficient region source routing protocol for lifetime maximization in WSN," *IEEE Access*, vol. 7, 2019, doi: 10.1109/ACCESS.2019.2942321.
- [43] M. A. Aydin, B. Karabekir, and A. H. Zaim, "Energy Efficient Clustering-Based Mobile Routing Algorithm on WSNs," IEEE Access, vol. 9, 89593–89601, 2021, doi: 10.1109/ACCESS.2021.3090979.
- [44] M. K. Singh, S. I. Amin, and A. Choudhary, "Genetic algorithm based sink mobility for energy efficient data routing in wireless sensor networks," AEU - Int. J. Electron. Commun., vol. 131, 2021, doi: 10.1016/j.aeue.2021.153605.
- [45] S. Wang, "Multipath Routing Based on Genetic Algorithm in Wireless Sensor Networks," Math. Probl. Eng., vol. 2021, 2021, doi: 10.1155/2021/4815711.
- [46] B. R. Al-Kaseem, Z. K. Taha, S. W. Abdulmajeed, and H. S. Al-Raweshidy, "Optimized Energy Efficient Path Planning Strategy in WSN with Multiple Mobile Sinks," *IEEE Access*, vol. 9, 82833–82847, 2021, doi: 10.1109/ACCESS.2021.3087086.
- [47] M. Aljebreen et al., "Binary Chimp Optimization Algorithm with ML Based Intrusion Detection for Secure IoT-Assisted Wireless Sensor Networks," Sensors, vol. 23, 1–17, Apr. 2023, doi: 10.3390/s23084073.
- [48] H. Gunigari and S. Chitra, "Energy Efficient Networks Using Ant Colony Optimization with Game Theory Clustering," Intell. Autom. Soft Comput., vol. 35, no. 3, 3557–3571, 2023, doi: 10.32604/iasc.2023.029155.
- [49] L. Li and D. Li, "An Energy-Balanced Routing Protocol for a Wireless Sensor Network," J. Sensors, vol. 2018, 2018, doi: 10.1155/2018/8505616.
- [50] Z. Al Aghbari, A. M. Khedr, W. Osamy, I. Arif, and D. P. Agrawal, "Routing in Wireless Sensor Networks Using Optimization Techniques: A Survey," Wirel. Pers. Commun., vol. 111, no. 4, 2020, doi: 10.1007/s11277-019-06993-9.
- [51] W. Xu, Y. Zhang, Q. Shi, and X. Wang, "Energy management and cross layer optimization for wireless sensor network powered by heterogeneous energy sources," *IEEE Trans. Wirel. Commun.*, vol. 14, no. 5, 2814–2826, May 2015, doi: 10.1109/TWC.2015.2394799.

Copyright: This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY-SA) license (https://creativecommons.org/licenses/by-sa/4.0/)



MAKWENA IDAH MASOPOGA completed her Bachelor's degree from Vaal University of Technology in 2013. She is a Junior Lecture with Unisa in the Department of Electrical and Smart Grid Engineering. She is currently busy with

her Master's degree from the University of South Africa. She is currently researching on Energy Optimisation algorithms in WSNs. My research interests include more in robotics, IOT, Artificial Intelligence, and Smart Grid technologies.



PROF. ZENGHUI WANG graduated with Doctoral degree (2007) in Control Theory and Control Engineering, Nankai University, China. He is currently a Professor at the University of South Africa. His research interests include

industry 4.0, control theory and control engineering, engineering optimisation, microgrid, image/video processing, artificial intelligence, and chaos. He was/is the principal investigator of six grants of South African national research foundation and one industrial project.



MBUYU SUMBWANYAMBE is a Professor and Head of Department for Electrical Engineering in the School of Engineering at the University of South Africa. He is also the cluster leader of telecommunications in the Department

of Electrical Engineering. He is a Council and Senior member of SAIEE, a member of IEEE He has a MEng in Electrical and Electronic Engineering from the University of Johannesburg in South Africa and a PhD in Engineering Management from the same University. He has a wide range of industry experience, which he gained in South Africa and Zambia, working as consultant, project engineer and a researcher at the University of Johannesburg.



NTHAMBELENI REGINALD NETSHIKWETA received the Master of Technology in electrical engineering, from Tshwane University of Technology, in Pretoria, South Africa, in 2017. Currently, he is a PhD

student in the College of Science, Engineering and Technology at the University of South Africa (UNISA), Pretoria. His main research interests are in the application of game theory to address resource management challenges in wireless networks. Specific current research topics include interference management in heterogeneous wireless networks. He is also a tenured Senior Lecturer with UNISA in the department of Electrical Engineering, where he is offering tuition in Telecommunication to undergraduate students.

92